



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING & INVESTIGATIONS DIVISION
BUILDING MATERIALS LISTING PROGRAM**

LISTING SERVICE

LISTING No.:	7270-0328:0555
CATEGORY:	7270 - HEAT DETECTOR
LISTEE:	Potter Electric Signal Co 1609 Park 370 Place, Hazelwood, MO, 63042 Contact: Lakomiak, Neil 13145956704 Email: neill@pottersignal.com
DESIGN:	<p>Model PC-2H heat detector head. For use with listee's separately listed compatible detector bases and listee's separately listed fire alarm control panels. Model is for indoor, wall, or ceiling mounted in operating temperatures between 32°F - 115°F. The heat detector is designed to operate at 135°F Fixed and 15 F°/minute Rate of Rise. Detectors can be sold separately or together with the separately listed 6" mounting base, PC-6DB, as model PC-2H6B.</p> <p>Refer to listee's printed data sheet for additional detailed product description and operational considerations.</p>
RATING:	12 or 24 VDC
INSTALLATION:	In accordance with the listee's printed installation instructions, applicable codes and ordinances, NFPA 72, and in a manner acceptable to the authority having jurisdiction.
MARKING:	Listee's name, model number, electrical rating, and UL label.
APPROVAL:	<p>Listed as a heat detector head for use with listee's separately listed compatible detector bases and listee's separately listed fire alarm control panels. Model is for indoor, wall, or ceiling mounted in operating temperatures between 32°F - 115°F. Models comply with the applicable requirements in UL 521, 7th edition. Refer to listee's Installation Instruction Manual for details.</p> <p><u>Compatible Remote Indicator:</u> PC-RA (CSFM Listing No. 7300-0328:0552)</p> <p><u>Compatible Detectors Bases:</u> PC-4DB, and PC-6DB (CSFM Listing No. 7300-0328:0556)</p>
NOTES:	

02-25-25 MH



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING & INVESTIGATIONS DIVISION
BUILDING MATERIALS LISTING PROGRAM**

LISTING SERVICE



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: 03/07/2025

Listing Expires: 06/30/2025

Authorized By: **Michael Huang**, Program Coordinator
Fire Engineering & Investigations Division